TestAmerica
INCORPORATED

JAN 29 1999

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

01/26/1999

NET Job Number: 99.00126

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: 2X MONTHLY WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
228875	OUTFALL 001 - GRAB	01/15/1999	01/15/1999
228876	OUTFALL 001 - COMP	01/12/1999	01/15/1999

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Project Representative

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

TestAmerica
INCORPORATED

JAN 29 1999

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

01/26/1999

Job No.: 99.00126

Date Received: 01/15/1999
Job Description: 2X MONTHLY WASTEWATER ANALYSIS

Sample Number / Sample I.D. Parameters	Result	Flag	Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
228875	OUTFALL 001 - GRAB		01/15/1999			
Oil & Grease	<5		mg/L	cls / 01/18/1999	EPA 1664	<5.
228876	OUTFALL 001 - COMP		01/12/1999			
Zinc, ICP	0.59		mg/L	psc / 01/19/1999	EPA 200.7	<0.020

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

TestAmerica
INCORPORATED

JAN 2 9 1999

FIELD REPORT

JOB #: 99.00126
CLIENT: MILBANK MFG.
PROJECT: 2x MONTHLY WASTEWATER SAMPLING
DATE: 1/15/99
SAMPLER(S): MTM/MEM

An ISCO model 6700 auto sampler was used in the sequential mode of operation. The sampler was equipped with plastic containers, tygon suction line, power pack, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 8 hours.

Monitoring start 7:30 on 1/15/99
Monitoring end 16:30 on 1/15/99

The samples were then composited based on flow weight, and preserved in the appropriate containers.

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

TestAmerica
INCORPORATED

JAN 29 1999

KEY TO ABBREVIATIONS

<	Less than; when appearing in the results column indicates the analyte was not detected at or above the reported value.
mg/L	Concentration in units of milligrams of analyte per Liter of sample. Measurement used for aqueous samples. Can also be expressed as parts per million (ppm).
ug/L	Concentration in units of micrograms of analyte per Liter of sample. Measurement used for aqueous samples. Can also be expressed as parts per billion (ppb).
mg/kg	Concentration in units of milligrams of analyte per kilogram of sample. Measurement used for non-aqueous samples. Can also be expressed as parts per million (ppm).
ug/kg	Concentration in units of micrograms of analyte per kilogram of sample. Measurement used for non-aqueous samples. Can also be expressed as parts per billion (ppb).
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Samples resembles unknown Hydrocarbon.
d1	Indicates the analyte has elevated reporting limit due to high concentration.
d2	Indicates the analyte has elevated reporting limit due to matrix.
e	Indicates the reported concentration is estimated.
f	Indicates the sample concentration was quantitated using a fuel oil standard.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past holding time.
i	Indicates the sample spike concentration was insufficient, due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS duplicate has been provided.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. All other QCIs were in control.
r	Indicates the sample was received past holding time.
s	Indicates the sample concentration was quantitated using a stoddard solvent standard.
u	Indicates the sample was received improperly preserved and/or contained.
uj	Indicates the result is under the reporting limit and considered an estimated concentration.
TCLP	Indicates the Toxicity Characteristic Leaching Procedure was performed for this analysis.
ICP	Indicates the analysis was performed using Inductively Coupled Plasma Spectroscopy.
GFAA	Indicates the analysis was performed using Graphite Furnace Atomic Absorption Spectroscopy.
%	Percent; To convert ppm to %, divide the result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Reporting limits are elevated due to insufficient sample submitted by client.
Dry Weight	When indicated, the results are reported on a dry weight basis. The contribution of the moisture content in the sample is subtracted when calculating the concentration of the analyte.

6964 HILLSDALE CT. / INDIANAPOLIS, IN 46250 / 317-842-4261 / FAX: 317-842-4286

NATIONAL ENVIRONMENTAL TESTING, INC.

CHAIN OF CUSTODY RECORD

COMPANY Milbank Mfg.
ADDRESS 1400 E. Havens St. Kokomo, IN 46901
PHONE (765) 452-5694 FAX
PROJECT NAME/LOCATION 2x Monthly Wastewater Analysis
PROJECT NUMBER
PROJECT MANAGER

REPORT TO: Richar[illegible]yer
INVOICE TO:
P.O. NO.
NET QUOTE NO.

JAN 29 1999

SAMPLED BY

(PRINT NAME) SIGNATURE
(PRINT NAME) SIGNATURE

DATE 1999	TIME	SAMPLE ID/DESCRIPTION	MATRIX	GRAB	COMP	# and Type of Containers: HCl	NaOH	HNO_3	H_2SO_4	OTHER	ANALYSES: Oil + Grease	Metals: Zn	Field Report	COMMENTS
1/15	16:40	Outfall 001 - Grab	W	X					1		X		X	
1/12	-	Outfall 001 - Comp								18		X		

CONDITION OF SAMPLE: BOTTLES INTACT? YES / NO
FIELD FILTERED? YES ~~NO~~
COC SEALS PRESENT AND INTACT? YES ~~NO~~
VOLATILES FREE OF HEADSPACE? YES ~~NO~~
TEMPERATURE UPON RECEIPT: 2.6°C
Bottles supplied by NET? (YES) NO

SAMPLE REMAINDER DISPOSAL: RETURN SAMPLE REMAINDER TO CLIENT VIA
I REQUEST NET TO DISPOSE OF ALL SAMPLE REMAINDERS DATE

To assist us in selecting the proper method

Is this work being conducted for regulatory compliance monitoring? Yes ____ No ____

Is this work being conducted for regulatory enforcement action? Yes ____ No ____

Which regulations apply: RCRA ____ NPDES Wastewater ____ UST ____ Drinking Water ____ Other ____ None ____

RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	RELINQUISHED BY:	DATE	TIME	RECEIVED FOR NET BY:
[signature]	1/15/99	16:30			1/15/99	16:30	[signature]

METHOD OF SHIPMENT

REMARKS:

PT 1 - ORIGINAL - WHITE PT 2 - NET PROJECT MANAGER - YELLOW PT 3 - CUSTOMER COPY - PINK

MIL0002427

18-12-99

MILBANK
MANUFACTURING CO.

Corporate Office:
P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

"FLOW PROPORTIONED" COMPOSITE SAMPLE

TIME	METER READING
7:30 AM	0032886.6
8:00	0032915.1
8:30	0032989.2
9:00	0033062.9
9:30	0033136.3
10:00	0033210.2
10:30	0033283.8
11:00	0033357.4
11:30	0033431.5
12:00	0033505.7
12:30	0033579.8
1:00	0033653.9
1:30	0033728.0
2:00	0033800.7
2:30	0033873.3
3:00	0033951.2
3:30	~~0034023.5~~ 0034023.5
4:00	0034096.9